AUTHOR INDEX, VOLUME XXXI

(Page numbers in *italics* refer to discussion participation of papers presented at the Prague Symposium, September 9–15, 1957)

Adelman, R. L., and Klein, I. M.: Effects of solvent structure in polyvinyl chloride-solvent systems, 77
Allen, P. W.: The influence of soap on aqueous phase polymerizations, 206
Anderson, E. W., and McCall, D. W.: The dielectric constant and loss of polypropylene, 241
Andreeva, N. S., and Iveronova, V. I.: On certain peculiarities of the structure of fibrous proteins and polymers, 257
Ashikari, N., and Nishimura, A.: The monomer reactivity ratios in the copolymerization of vinyl compounds with trialkylboron catalysts, 249

Baccaredda, M., and Butta, E.: Transitions in polytetrafluoroethylene, 189
Beers, R. F., Jr.: see Steiner, R. F.
Berkowitch, J., Charlesby, A., and Desreux, V.: Radiation effects on aqueous solutions of polyvinyl alcohol, *errata*, 256
Bernardini, F.: see Natta, G.
Bettelheim, F. A., and Stein, R. S.: The change in density of low pressure polyethylene on stretching, 523
Boucher, M.: see Le Bras, J.
Boudreau, R. J.: see O'Driscoll, K. F.
Bowers, G. H.: see Busse, W. F.
Breslow, D. S., and Kutner, A.: Reactivity factors of sodium ethylenesulfonate, 253
Broda, A., and Chodkowska, M. B.: The free energy of the polydisperse polymer in the system polymer-liquid, *errata*, 438
Burlant, W. J., and Green, D. H.: Some gamma-ray initiated polymerizations, 227
Busse, W. F., and Bowers, G. H.: *G* yield for crosslinking of low density polyethylene by electron irradiation, 252
Butta, E.: see Baccaredda, M.

Cerny, L.: see Helminiak, T. E.
Champagne, M.: Action des pH acides sur la serum albumine bovine en solution, *errata*, 422
Charlesby, A.: see Berkowitch, J.
Chasanov, M. G., and Epstein, J.: Ion exchange resins as catalysts in the decomposition of Sarin, 399
Chinai, S. N.: see Strella, S.
Chodkowska, M. B.: see Broda, A.
Cole, H. M.: see Dannenberg, E. M.
Coleman, B. D.: On the properties of polymers with random stereo-sequences, 155
Coleman, L. E., and Jones, F. B.: Ionic interpolymerization of unsaturated ketones and styrene, 528
Cooke, R. C., Jr.: see Francis, P. S.

Danjard, J.-C.: see Le Bras, J.
Dannenberg, E. M., Jordan, M. E., and Cole, H. M.: Peroxide crosslinked carbon black polyethylene compositions, 127
Delimarsky, J. K.: see Markov, B. F.
——: *268*
Desreux, V.: see Berkowitch, J.
Dolgoplosk, B., *317*
Doty, P.: *14*
Doyle, C. D.: Logarithmic thermal degradation of a silicone resin in air, 95
Dulmage, W. J., and Geddes, A. L.: Structure of drawn polyethylene terephthalate, 499

Eichhorn, R. M.: Unit cell expansion in polyethylene, 197
Elliott, J. H.: see Francis, P. S.
Epstein, J.: see Chasanov, M. G.

Ferington, T. E., and Tobolsky, A. V.: Study of the structures of butadiene polymers produced on initiation by Lewis acids, 25
Fox, T. G, Goode, W. E., Gratch, S., Gratch, S., Huggett, C. M., Kincaid, J. F., Spell, A., and Stroupe, J. D.: Temperature dependence of the stereospecificity in the free radical polymerization of methyl methacrylate, 173
Fraenkel-Conrat, H.: *13*
Francis, P. S., Cooke, R. C., Jr., and Elliott, J. H.: Fractionation of polyethylene, 453
Friedlander, H. Z., and Thomas, W. M.: Preparation of crystalline polystyrenes by use of acid catalysts, 215
Fueno, T.: see Furukawa, J.
Fujimoto, S.: see Suzuki, M.
Furukawa, J., Tsuruta, T., Fueno, T., Sakata, R., and Ito, K.: Co-catalytic action of quinones and phenols in methyl methacrylate polymerization by diethylcadmium, 247
Gajewsky, E.: see Shugar, D.
Geddes, A. L.: see Dulmage, W. J.
Geiduschek, E. P.: On the reversibility of

the acid denaturation of sodium desoxyribose nucleate, 67
Goode, W. E.: see Fox, T. G
Gordon, R. S., Jr.: The preparation of radioactive polyvinylpyrrolidone for medical use, 191
Grassie, N., Hay, J. N., and McNeill, I. C.: Coloration in acrylonitrile and methacrylonitrile polymers, 205
Gratch, S.: see Fox, T. G
Green, D. H.: see Burlant, W. J.
Grimaud, E., Sanlaville, J., et Troussier, M.: Dispersions de polytétrafluoréthylène, 525
Gundiah, S., and Kapur, S. L.: Precision viscometry of polyvinyl acetate in toluene, 202
Gupta, V. D.: Decrease of lateral order in jute treated with caustic soda solution, 219

Haas, H. C., and Schuler, N. W.: Polyvinyl carbonate, 237
Hawkins, M. C.: see Scherer, P. C.
Hay, J. N.: see Grassie, N.
Helminiak, T. E., and Cerny, L.: Application of Ree-Eyring generalized flow theory to dilution solutions of potassium-*p*-polystyrene sulfonate, 230
Holmes, D. R., and Palmer, R. P.: The orientation of the crystalline and amorphous regions in polyethylene film, 245
Huggett, C. M.: see Fox, T. G

Imoto, M., and Saotome, K.: Vinyl polymerization. XXXI. The temperature dependence of monomer reactivity ratio in the cationic copolymerization of acenaphthylene and *n*-butyl vinyl ether catalyzed by boron trifluoride-ether complex, 208
——, and Takatsugi, H.: Vinyl polymerization. XXX. Heterogeneous polymerization rate of acrylonitrile in mixed solvent of benzene and dimethylformamide, 195
Ito, K.: see Furukawa, J.
Iveronova, V. I.: see Andreeva, N. S.

Jain, P. L.: Paramagnetic resonance absorption in high polymer, 210
Jen, Y.: see Suen, T. J.
Jones, F. B.: see Coleman, L. E.
Jordan, M. E.: see Dannenberg, E. M.

Kagawa, I.: see Nagasawa, M.
Kail, J. A. E.: see Powles, J. G.
Kaizerman, S.: see Mino, G.
Kanamaru, K., Tokita, N., and Noyama, S.: Stabilization of viscose rayon by heat treatment, 359
Kapur, S. L.: see Gundiah, S.
Kawahara, K., Ueda, M., Oka, Y., and Kuroiwa, T.: Molecular weight-intrinsic viscosity relationship as a function of shearing stress, 245
Kawata, K.: Variation of photoelastic behavior with temperature for some polymers, *errata*, 422
Keith, H. D., and Padden, F. J., Jr.: Ringed spherulites in polyethylene, 415
Kellö, V.: see Tkáč, A.
Kern, W.: *317*
Kincaid, J. F.: see Fox, T. G
Klein, I. M.: see Adelman, R. L.
Klebanskii, A. L.: *317*
Korshak, V. V.: Some special features of organic polymers containing phosphorus, 319
Krimm, S.: see Liang, C. Y.
Kuroiwa, T.: see Kawahara, K.
Kutner, A.: see Breslow, D. S.
Kuzminskii, A. S., *300*

Lal, J.: Polymerization of vinyl ethers by Ziegler catalysts, 179
Leavitt, F., Stannett, V., and Szwarc, M.: Relative selectivity of polystyryl radicals, 193
Le Bras, J., Danjard, J.-C., and Boucher, M.: The mechanism of protection by the deactivating effect, *errata*, 422
Levi, D. W.: see Scherer, P. C.
Liang, C. Y., and Krimm, S.: Infrared spectra of high polymers. VII. Polyacrylonitrile, 513
Lockwood, J. V.: see Suen, T. J.
Longi, P.: see Natta, G.
Lowry, G. G.: Radical-initiated homopolymerization of α-methylstyrene, 187

McCall, D. W.: see Anderson, E. W.
McNeill, I. C.: see Grassie, N.
Magat, M.: *317*
Majury, T. G.: Amines and carboxylic acids as initiators of polymerization in caprolactam, 383
Maleyev, I. I.: see Yurzhenko, A. I.
Mano, E. B.: see Marvel, C. S.
Markov, B. F., Delimarsky, J. K., and Panchenko, I. D.: Thermodynamic properties of some fused chlorides, 263
Marvel, C. S., and Mano, E. B.: Copolymerization of trialkyl aconitates with vinylidene chloride, 165
Mason, P.: The tensile strength of polymers below the glass transition temperature, 530
Matsumoto, M., and Ohyanagi, Y.: Refractive index of dilute aqueous solution of polyvinyl alcohol, 225
Mayes, N.: see Overberger, C. G.
Mazzanti, G.: see Natta, G.
Mino, G., and Kaizerman, S.: A new method for the preparation of graft copolymers. Polymerization initiated by ceric ion redox systems, 242
Miyama, H.: see Suzuki, M.
Mussa I.V., C.: Some considerations of fractionation, viscometry, and the molecular weights of linear and branched polymers, *errata*, 255
——: A suggested method of plotting the data of fractionation and viscometry, *errata*, 255

Nagasawa, M., and Kagawa, I.: Colligative properties of polyelectrolyte solutions. IV. Activity coefficient of sodium ion, *errata*, 256

——, Soda, A., and Kagawa, I.: Electrophoresis of polyelectrolyte in salt solution, 439
Nakajima, T., and Saito, S.: Dielectric properties of polymonochlorotrifluoroethylene, 423
Naismith, W. E. F.: see Williams, R. K.
Nakane, R.: A memory phenomena in the volume change of crystalline polymer, 244
Natta, G., Mazzanti, G., Longi, P., and Bernardini, F.: Isotactic polymers of silicon-containing vinyl monomers, 181
Nishimura, A.: see Ashikari, N.
Noyama, S.: see Kanamaru, K.

O'Driscoll, K. F., Boudreau, R. J., and Tobolsky, A. V.: Lithium-initiated copolymerization of styrene and methyl methacrylate. I, 115
——, and Tobolsky, A. V.: Lithium-initiated copolymerization of styrene and methyl methacrylate. II. A propagating radical-ion, 123
Ohyanagi, Y.: see Matsumoto, M.
Oka, Y.: see Kawahara, K.
Overberger, C. G., Pearce, E. M., and Mayes, N.: Polymerization of methacrylonitrile with lithium, 217
——, ——, and Wei, L. C. K.: Molecular termination by *p*-xylene in cationic catalyzed polymerization, 235

Padden, F. J., Jr.: see Keith, H. D.
Palmer, R. P.: see Holmes, D. R.
Panchenko, I. D.: see Markov, B. F.
Peacocke, A. R., and Preston, B. N.: The degradation and denaturation of sodium deoxyribonucleate by γ-rays, 1
——: *14*
Pearce, E. M.: see Overberger, C. G.
Preston, B. N.: see Peacocke, A. R.
Powles, J. G., and Kail, J. A. E.: Nuclear magnetic resonance absorption in various polytetrafluoroethylenes, 183

Rabek, T. I.: *24*
Rahm, J.: see Štamberg, J.
Rowen, J. W.: Polymer-vapor isotherms, 199

Saito, S.: see Nakajima, T.
Sakajiri, S.: The birefringence of polyethylene terephthalate fiber: Effect of steeping reagent, 198
Sakata, R.: see Furukawa, J.
Sanlaville, J.: see Grimaud, E.
Saotome, K.: see Imoto, M.
Scherer, P. C., Hawkins, M. C., and Levi, D. W.: Molecular weight of ethyl cellulose by dielectric dispersion of solutions in solvents of low dielectric constants, 105
Schröder, G.: Polymerisationsauslösung durch Hydroperoxyde, 309
——: *317*
Schuler, N. W.: see Haas, H. C.
Schwander, C.: The structure of *o*-cresol paraformaldehyde resins, 177
Seidl, J.: see Štamberg, J.
Shugar, D., and Wierzchowski, K. L.: Structure and photochemical behavior of nucleic acids and related components, 269
——, and Gajewska, E.: Kinetics of heat inactivation of enzymes in light and heavy water (lysozyme, ribonuclease, and desoxyribonuclease), 281.
Smets, G.: *317*
Soda, A.: see Nagasawa, M.
Spell, A.: see Fox, T. G
Štamberg, J., Seidl, J., und Rahm, J.: Synthese eines gegenüber Nickel selektiven Ionenaustauschers, 15
——: *24*
Stannett, V.: see Leavitt, F.
Stein, R. S.: The x-ray diffraction, birefringence, and infrared dichroism of stretched polyethylene. II. Generalized uniaxial crystal orientation, 327
——: The x-ray diffraction, birefringence, and infrared dichroism of stretched polyethylene. III. Biaxial orientation, 335
——: see Bettelheim, F. A.
Steiner, R. F., and Beers, R. F., Jr.: Polynucleotides. III. The behavior of polyadenylic acid at acid pH's, 53
Strella, S., and Chinai, S. N.: Dielectric studies of the methacrylate series. III. Poly-*n*-hexyl methacrylate. IV. Poly-*n*-octyl methacrylate, 45
Stroupe, J. D.: see Fox, T. G
Suen, T. J., Jen, Y., and Lockwood, J. V.: The polymerization of acrylamide with chlorate–sulfite initiator, 481
Suzuki, M., Miyama, H., and Fujimoto, S: Study on the heat of vinyl copolymerization, 212
Szwarc, M.: see Leavitt, F.

Takatsugi, H.: see Imoto, M.
Teyssié, P.: *24*
Thilo, E.: *268*
Thomas, A. G.: Rupture of rubber. V. Cut growth in natural rubber vulcanizates, 467
Thomas, W. M.: see Friedlander, H. Z.
Tipper, C. F. H.: see Williams, R. K.
Tkáč, A., and Kellö, V.: Über Zusammenhange zwischen dem Vernetzungsgrad und der Degradation von Naturkautschuk, 291
Tobolsky, A. V.: Equilibrium polymerization in the presence of an ionic initiator, *addendum*, 126
——: see Ferington, T. E.
——: see O'Driscoll, K. F.
Tokita, N.: see Kanamaru, K.
Trick, G. S.: The crystallization of chemically modified natural rubber, 239
——: The rate of crystallization of *cis* polybutadiene, 529
Troussier, M.: see Grimaud, E.
Tsuruta, T.: see Furukawa, J.

Ueda, M.: see Kawahara, K.

Waddington, F. B.: The electron crosslinking of polypropylene and high density polyethylenes, 221
Wei, L. C. K.: see Overberger, C. G.
Wierzchowski, K. L.: see Shugar, D.
Williams, R. K., Naismith, W. E. F., and Tipper, C. F. H.: A thermodynamic and kinetic study of the dissociation of arachin, 35
Yurzhenko, A. I., and Maleyev, I. I.: Adsorption of certain high polymers by carbon black in dilute solutions, 301

SUBJECT INDEX, VOLUME XXXI

Acenaphthylene, copolymerization with *n*-butyl vinyl ether, 208
Acrylamide, polymerization, 481
Acrylonitrile, coloration, 205
  heterogeneous polymerization rate, 195
Amines, as initiators, 383
Arachin, dissociation, 35
Birefringence, polyethylene, 327, 335
Butadiene polymers, structures, 25
n-Butyl vinyl ether, copolymerization with acenaphthylene, 208
Caprolactam, polymerization, 383
Carbon black, adsorption of polymers, 301
Carboxylic acids, as initiators, 383
Catalysts, acid, for preparation of crystalline polystyrenes, 215
  Ziegler, for vinyl ethers polymerization, 179
Cationic catalyzed polymerization, molecular termination by *p*-xylene, 235
Ceric ion redox systems, for initiation of graft copolymers, 242
Chlorides, fused, thermodynamic properties, of, 263
o-Cresol–paraformaldehyde resins, 177
Deactivating effect, mechanism of protection by, 422
Degradation, natural rubber, 291
  silicone resin in air, 95
  sodium deoxyribonucleate by γ-rays, 1
Denaturation, sodium deoxyribonucleate, 1, 67
Dielectric properties, polymonochlorotrifluoroethylene, 423
Dielectric studies, methacrylate series, 45
Electrophoresis, of polyelectrolytes in salt solution, 439
Enzymes, kinetics of heat inactivation, 281
Ethyl cellulose, molecular weight, 105
Gamma rays, for degradation and denaturation of sodium deoxyribonucleate, 1
  for initiating polymerizations, 227
Graft copolymers, initiated by ceric ion redox systems, 242
Hydroperoxides, in polymerization, 309
Infrared dichroism, polyethylene, 327, 335
Infrared spectra, polyacrylonitrile, 513
Initiation, by lithium, 115, 123
Initiator, in acrylamide polymerization, 481
  for caprolactam polymerization, 383
Ion exchange resins, for Sarin decomposition, 399
Ion exchanger, for nickel, 15
Isotactic polymers, silicon-containing vinyl monomers, 181
Jute, lateral order, 219
Ketones, unsaturated, interpolymerization with styrene, 528
Kinetics, arachin dissociation, 35
Lithium, for initiation of copolymerization, 115, 123
  and polymerization of methacrylonitrile, 217
Methacrylonitrile, coloration, 205
  polymerization with lithium, 217
Methyl methacrylate, copolymerization with styrene, 115, 123
  free radical polymerization, 173
α-Methylstyrene, radical-initiated homopolymerization, 187
Molecular weight, ethyl cellulose, 105
Nuclear magnetic resonance absorption, polytetrafluoroethylenes, 183
Nucleic acids, structure and photochemical behavior, 269
Paraformaldehyde–*o*-cresol resins, 177
Paramagnetic resonance absorption, polymers, 210
Phosphorus, in organic polymers, 319
Photoelastic behavior, variation with temperature, 422
Polyacrylonitrile, infrared spectra, 513
Polyadenylic acid, behavior at acid pH's, 53
cis Polybutadiene, rate of crystallization, 529
Polydisperse polymer, free energy of, 438
Polyelectrolytes, electrophoresis in salt solution, 439
Polyethylene, crosslinking with carbon black, 127
  density change on stretching, 523
  electron crosslinking, 221
  fractionation, 453
  orientation, 327, 335, 345
  unit cell expansion, 197
  x-ray diffraction, birefringence, and infrared dichroism, 327, 335
Polyethylene terephthalate, birefringence, 198
  structure, 499
Poly-*n*-hexyl methacrylate, dielectric studies, 45
Polymers, crystalline, memory phenomena in volume change of, 244
  organic, containing phosphorus, 319
  paramagnetic resonance absorption, 210
  with random stereo-sequences, 155

structure, 257
tensile strength below the glass transition temperature, 530
Polymer-vapor isotherms, 199
Polymonochlorotrifluoroethylene, dielectric properties, 423
Polynucleotides, 53
Poly-*n*-octyl methacrylate, dielectric studies, 45
Polypropylene, dielectric constants and loss, 241
electron crosslinking, 221
Polystyrene, crystalline, preparation with acid catalysts, 215
Polystyryl radicals, relative selectivity, 193
Polytetrafluoroethylene, dispersion, 525
nuclear magnetic resonance absorption, 183
transitions in, 189
Polyvinyl acetate, viscometry, 202
Polyvinyl alcohol, refractive index, 225
Polyvinyl chloride, effects of solvent structure on, 77
Polyvinylene carbonate, 237
Polyvinylpyrrolidone, radioactive, preparation, 191
Potassium-*p*-polystyrene sulfonate, and Ree-Eyring generalized flow theory, 230
Proteins, structure, 257
Ree-Eyring generalized flow theory, application to potassium-*p*-polystyrene sulfonate, 230
Refractive index, polyvinyl alcohol, 225
Rubber, natural, crosslinking and degradation, 291
crystallization of, 239
cut growth in vulcanizates, 467
Sarin, decomposition with ion exchange resins, 399
Serum albumin, action of acid pH on, 422
Silicon, in isotactic polymers of vinyl monomers, 181
Silicone resin, degradation in air, 95
Soap, influence on aqueous phase polymerizations, 206
Sodium deoxyribonucleate, acid denaturation, 67
degradation and denaturation by γ-rays, 1
Structure, polyethylene terephthalate, 499
Styrene, copolymerization with methyl methacrylate, 115, 123
interpolymerization with unsaturated ketones, 528
Tensile strength, of polymers below the glass transition temperature, 530
Thermodynamics, arachin dissocatior, 35
Trialkyl aconitates, copolymerization with vinylidene chloride, 165
Vinyl ethers, polymerization with Ziegler catalysts, 179
Vinylidene chloride, copolymerization with trialkyl aconitates, 165
Vinyl copolymerization, heat of, 212
Vinyl monomers, silicon-containing isotactic polymers of, 181
Vinyl polymerization, 195, 208
Viscometry, polyvinyl acetate, 202
Viscose rayon, stabilization by heat treatment, 359
X-ray diffraction, polyethylene, 327, 335
p-Xylene, for molecular termination in cationic catalyzed polymerization, 235